

# BLACK-FACED SPOONBILL

## (PLATALEA MINOR)



i have an unique black beak.



### DO YOU KNOW?

By reducing waste production and extraction of raw materials, recycling helps reduce environmental pollution.



### BREEDING SEASON

- Yellow plumage on the head and chest
- White plumage over the rest of the body
- Lays eggs – eggs hatch after 35 days




### NON-BREEDING SEASON

- Long legs and neck
- White plumage around the body
- No plumage around the face
- Average egg size: 60-78 cm

### MIGRATION DISTRIBUTION

- Migrates across certain areas of Asia, including North Vietnam, Korea, and China



### THREATS DURING MIGRATION

- Hunting, consumption
- Severe habitat reduction
- Environmental pollution
- Effects of climate change



# SPOON-BILLED SANDPIPER

## (CALIDRIS PYGMAEA)



i am searching for food.



### DO YOU KNOW?

- Only about 240-320 mature individuals (BirdLife International, 2021)
- Lifespan: 12 years



Non-breeding Season

### BREEDING SEASON

- Head and upper parts are brown, changing to red-brown
- Lays eggs – eggs hatch after 19-23 days

### NON-BREEDING SEASON

- Head and back have grey marks
- Upper body has light grey-brown plumage
- Short black legs
- Average egg size: 14-16 cm

### MIGRATION DISTRIBUTION

- Migrates across Russia to Southeast Asia



### THREATS DURING MIGRATION

- Hunting, consumption
- Severe habitat reduction
- Environmental pollution
- Effects of climate change

